



instruction

Triumph Classic Headlight mask (308920)



LH MODE

To mount the headlight to LEFT
Invert the following pcs.:

308920 A
308920 C
308920 D
308926 BC

Attention! with this mode
it will be necessary to modify
the passage of the clutch cable

Installation time : 120 minute

Tools requirement : 1) Front lifter(headstock mount)
2) 3-4-5-6-8 mm. Allen Wrench
3) Cross Screwdriver
4) 8-13-14mm. Open/End Spanner
5) 8-30 mm. Socket wrench
6) Torque wrenches
7) Loctite Medium stretch



1

Check the technical design and make sure you have all the pieces
The technical design will be useful for the following steps.
Apply medium thread lock on threaded pin M6x20.



2

Screw threaded pin for half of their length on the support.
Apply thread lock on pin and tighten the 2 columns.



3

To Insert two bottom bolts M6x55 and two thicknesses provided as photo



4

Insert allen bolts M4x10, as photo and apply Loctite medium thread locker.



5

1)Screw threaded rod M4 on headlight.
2)Insert bolts m4x25 on headlight bracket.(apply medium thread locker)




6

Fasten bracket on headlight.

ATTENTION!

For disassemble and replacement oem parts use the workshop manual.


7



Support the bike.


Attention. Before starting disconnect the negative battery terminal.

8



Remove ring and beam of the stock headlight and unplug the lamp.

9



Remove headlamp shell.



10

Disconnect connectors and slide off from the shell.



11

Remove cable bracket and risers cover.

12



Remove instrument and handlebar.

13




Remove top plate.

14



Slip off headlight brackets and remove ignition switch.

15



Reassemble top plate, instrument and handlebar.
Remove voltage rectifier.

We also recommend purchase of code.: 309010 and 309012 for to complete installation

16



Fasten support prepared earlier on bottom plate.

17




Insert allen bolt M8x35 with washer as photo.
Apply schnoor washer as photo.

18




Fix headlight with the correct angle.



19

Plug headlight wiring on oem connector.





20

Use botton bolt m6x12 and washer to fasten headlight mask.

Boneville Front Light & Numberboard

Code 308920





Rh Mode

Boneville Front Light & Numberboard

Code 308920

Lh Mode





Restituzioni & Difetti

Eventuali reclami devono essere fatti entro 7 giorni dalla data di consegna con preavviso.

Le restituzioni devono essere espressamente autorizzate dalla FreeSpirits per iscritto.

Le restituzioni senza autorizzazione non verranno accettate.

Una tassa del 20% verrà trattenuta per il ristoccaggio del materiale.

La tassa del 20% non verrà trattenuta se la restituzione è dovuta ad un difetto della merce o ad un errore da parte nostra.

Non si accetta il ritorno di merce manomessa.

Tutte le restituzioni devono essere spedite con trasporto prepagato e accuratamente imballate.

Non verranno assolutamente accettate le restituzioni a nostro carico.

Freepirits srl rilascerà un credito per la restituzione della merce del valore del prezzo di acquisto da utilizzarsi su ordini futuri.

Reclami

Prima della spedizione le nostre merci vengono attentamente controllate e accuratamente imballate. Tutti i reclami per danno o smarrimento durante il trasporto devono essere direttamente inoltrati dal cliente al corriere che ha effettuato il trasporto. Di conseguenza è importante opporre immediatamente riserva sul documento di trasporto relativo, onde ricevere eventuali risarcimenti.

FreeSpirits srl non è responsabile dei danni incorsi durante il trasporto.

Garanzia

La nostra garanzia è limitata alla riparazione o alla sostituzione di parti difettate solo entro 7 gg.

dalla data di acquisto. La garanzia non copre i danni per installazione impropria, negligenza, alterazione o cattivo uso.

Non si accetta alcun prodotto danneggiato o modificato a causa di impropria installazione.

Attenzione

La ditta FreeSpirits srl non ha nessuna connessione con i marchi Harley Davidson e Buell, e sono usati solo esclusivamente come riferimenti.

Considerando che alcuni accessori di questo catalogo potrebbero non essere conformi al codice stradale italiano ed estero, si consiglia prima della vendita o installazione, di consultare il codice stradale stesso. FreeSpirits srl responsabilizza inoltre i rivenditori nell'informare l'acquirente prima di vendere o procedere all'installazione degli articoli.

La ditta FreeSpirits srl declina ogni responsabilità nell'uso improprio dei suoi accessori



Telefono 0039 (0) 445-390437

Fax 0039 (0) 445-395539

Email info@freespirits.it

Site: www.freespirits.it